

**Commissioner Meeting**  
**February 5th, 2025**

The regular scheduled meeting was called to order by, Commissioner Carolyn Flannery at 8pm. Mr. John Marini led the meeting with the salute to the flag. Mr. Joseph Youssouf read the Sunshine Statement as follows: Notice of the Time, date, location and the agenda of this meeting know was duly published at least 48 hours in advance of this meeting, by posting in official newspaper of this district. This meeting was also setup as a Virtual Meeting by IT Officer Mr. Peter Hall.

Commissioner Carolyn Flannery took Roll Call: Commissioners, Spevak, Kirkland, Primiano, Flannery were present and Chairman Hogan was excused. Bookkeeper Mrs. Connie Ellison was present. IT Officer Peter Hall was virtual. Administrator Mr. John Marini was present. Sign in sheet was on the table for attendance.

Commissioner Carolyn Flannery asked if there were any questions regarding the Meeting minutes for January 8th, 2024. There were no questions. Commissioner Carolyn Flannery made a motion to approve the minutes and 2<sup>nd</sup> by Commissioner Richard Primiano. Approved by all.

Chief Tom Kirkland: Report was read and submitted. The total number of calls for the month:

43 Calls in 26-2

1 Calls in 12-1

- 1 Calls in 32-1
- 2 Call in 28
- 1 Call East Windsor

#### Training and Drills

- Feb 3 – Work Detail
- Feb 10 – Monthly Business Meeting
- Feb 17 – Air Tools
- Feb 24 – SCBA Confidence
- Feb 3 – Work Detail

Purchase Requests – Continental Fire Safety replacement pads for Station AED = \$393.00

Continental Fire Safety 4 cases of True Fuel = \$287.96, Chief 360 Mobile Alerting Program = \$1,727.00

Incident list for Apparatus for Data Range for the month of January was submitted.

Engineer Sonny Sorscher: Report was read and submitted

President Bill Frueh: Report was read and submitted: Coffee with a firefighter Feb 16, 2025. Issues with the table and chairs is being worked on. Purchased Govi Lights to finish the firehouse. Feb 19, 2025 we are attending The Get Involved with Community Event.

Chief Matt O'Brien of Englishtown: Report was read and submitted.

IT Officer Peter Hall: Virtual - Reported the internet is good.

Insurance: Administrator Mr. John Marini: All good with Phones and Insurance. Commissioners office project is complete.

Legal: Mr. Joseph Youssouf: All good.

Auditor Mr. Ron Petrics: Treasure has financial Notice.

Bookkeeper: Connie Ellison: Report was submitted. The budget was passed.

Old Business: Garage Doors are being repaired Generator was low on antifreeze, the cap was replaced with a new one.

New Business: Chief Tom Kirkland purchases in the amount of \$2,407.96.

Commissioner Richard Primiano made a motion to make the purchases and 2<sup>nd</sup> by Commissioner Timothy Kirkland.

Approved by all.

A Motion to Amend the following resolutions was made by, Commissioner Timothy Kirkland and 2<sup>nd</sup> by Commissioner Joseph Spevak.

Resolution of the Board of Fire Commissioners Fire District No.2 Manalapan Township Designating Official Newspapers for the Year 2025 are, Asbury Park Press and The Newark Star Ledger.

Resolution of the Board of Fire Commissioners Fire District No. 2 Manalapan Township Designating Official Depository of Fire District Funds for the Year 2025 to Mid Penn Bank.

|  |     |
|--|-----|
| Roll Call: Commissioner Timothy Kirkland | Yes |
| Commissioner Joseph Spevak               | Yes |
| Commissioner Richard Primiano            | Yes |
| Commissioner Carolyn Flannery            | Yes |

Approved by all with the vote being: 4 Yes 0 No

A motion to open the meeting to the public was made by Commissioner Timothy Kirkland and 2<sup>nd</sup> by Commissioner Richard Primiano.

There was no public present. A motion to close the public portion of the meeting was made by Commissioner Timothy Kirkland and 2<sup>nd</sup> by Commissioner Richard Primiano. Approved by all.

Treasure Report: Commissioner Timothy Kirkland Presented the Bill List in the amount of \$52,155.27. Commissioner Carolyn Flannery made a motion to pay bills in the amount of \$52,155.27 and 2<sup>nd</sup> by Commissioner Richard Primiano. Approved by all.

Next Commissioner Meeting will be held March 5th, 2025 8pm at the Firehouse.

There was no further business therefor Commissioner Timothy Kirkland made a motion to adjourn the meeting at 8:45pm and 2<sup>nd</sup> by Commissioner Carolyn Flannery. Approved by all.

Respectfully submitted

Commissioner Carolyn Flannery



# Manalapan Fire Co #1

5 Sweetmans lane  
Manalapan, NJ 07726  
Station (732)426-1996  
Fax (732)462-2376

## February 2025 Chief's Report

### Calls for the Month

A total of 48 calls for service were responded to with a total of 63.03 Staff hours.

- 43 calls in 26-2
- 1 call in 12-1
- 1 call in 32-1
- 2 calls in 28
- 1 call East Windsor

### Incident Type

- 30 Alarms
- 4 Fires
- 6 Hazardous Conditions
- 5 Rescue/ EMS Assist
- 2 Service Calls

A total of four (4) incidents apparatus did not respond due to staffing.

- Multiple alarm mutual aid engine request to Marlboro Dist. 28-3
- Cover assignment Marlboro Dist. 28-2
- Residential fire alarm Dist. 26-2
- Commercial fire alarm Dist. 26-2, 26-2-87 responded with 1 personnel

### Training and Drills

- Feb 3 – Work Detail
- Feb 10 - Monthly Business Meeting
- Feb 17 – Air Tools
- Feb 24 – SCBA Confidence
- Mar 3 – Work Detail

FF Ryan Spivey is in the final stages of completing FF1 through Middlesex Fire Academy.  
FF Ari Klots will be beginning FF 1 at the end of February Middlesex County Fire Academy.  
FF Irina Ragulina was placed on a waiting list for FF1 Middlesex County Fire Academy.

### Equipment

- 1 HR Scott SCBA bottle and masks have been received and inventoried.
- An inventory of surplus turnout gear has been conducted post inspection identifying 16 coats, 25 pants, 5 helmets and 6 pairs of boots exceeding the 10-year life expectancy.

### Purchase Requests

- Continental Fire Safety replacement pads for Station AED, \$393.00
- Continental Fire Safety four (4) cases of True Fuel, \$287.96
- Chief 360 mobile alerting program, \$1,727.00

### Membership

One (1) new member has successfully completed entrance physical and three (3) others have been placed in contact with Atlantic Health to schedule.

Miscellaneous

- No updates from NJ DOT regarding status of Opticom installation along the route 33 corridor.
- The fire company is in the process of updating policies such as Respiratory Protection, Bloodborne Pathogens Exposure Control Program and Digital Imagery & Social Media policies.
- Temporary housing of Millstone ladder 32-90 has begun as of Monday 2/3/2025.
- The fire company is exploring methods to sustain adequate staffing including the potential for duty crews, PR firm for recruitment and hybrid response model along with Station 12-1.

Engineer's Report

Provided by Engineer S. Sorcher

Respectfully submitted

Thomas Kirkland  
Chief

# Manalapan Fire District #2

Manalapan, NJ

This report was generated on 2/4/2025 9:37:51 PM

## Incident List for Apparatus for Date Range

Apparatus: All Apparatus | Start Date: 01/01/2025 | End Date: 01/31/2025

| INCIDENT DATE                             | INCIDENT # | ADDRESS            | INCIDENT TYPE  |
|---|------------|--------------------|--|
| Apparatus : 2-78 - 26-2-78                |            |                    |  |
| 01/04/2025                                | 2025-2     | 115 CANDIDO CT     | 445 - Arcing, shorted electrical equipment               |
| 01/04/2025                                | 2025-3     | 28 BLOOMFIELD RD   | 733 - Smoke detector activation due to malfunction       |
| 01/05/2025                                | 2025-4     | 5 MT VERNON RD     | 142 - Brush or brush-and-grass mixture fire              |
| 01/06/2025                                | 2025-5     | 6 MAREMANNA DR     | 743 - Smoke detector activation, no fire - unintentional |
| 01/08/2025                                | 2025-7     | 8 HILLSIDE RD      | 742 - Extinguishing system activation                    |
| 01/09/2025                                | 2025-9     | 216 WOODWARD RD    | 743 - Smoke detector activation, no fire - unintentional |
| 01/09/2025                                | 2025-10    | 102 DEERBROOK RUN  | 424 - Carbon monoxide incident                           |
| 01/12/2025                                | 2025-11    | 199 WOODWARD RD    | 746 - Carbon monoxide detector activation, no CO         |
| 01/14/2025                                | 2025-14    | 9 DARLINGTON DR    | 744 - Detector activation, no fire - unintentional       |
| 01/16/2025                                | 2025-15    | 146 WOODWARD RD    | 730 - System malfunction, other                          |
| 01/16/2025                                | 2025-16    | 11 CRIOLLO RD      | 111 - Building fire                                      |
| 01/17/2025                                | 2025-17    | 21 FAWN RUN        | 440 - Electrical wiring/equipment problem, other         |
| 01/17/2025                                | 2025-18    | 75 MOUNT VERNON RD | 731 - Sprinkler activation due to malfunction            |
| 01/18/2025                                | 2025-21    | 199 WOODWARD RD    | 412 - Gas leak (natural gas or LPG)                      |
| 01/19/2025                                | 2025-23    | 591 ST ANDREWS PL  | 736 - CO detector activation due to malfunction          |
| 01/21/2025                                | 2025-26    | 8 PINK STAR CT     | 733 - Smoke detector activation due to malfunction       |
| 01/22/2025                                | 2025-29    | 120 PARK AVE       | 730 - System malfunction, other                          |
| 01/22/2025                                | 2025-31    | 120 PARK AVE       | 744 - Detector activation, no fire - unintentional       |
| 01/22/2025                                | 2025-32    | 216 WOODWARD RD    | 440 - Electrical wiring/equipment problem, other         |
| 01/23/2025                                | 2025-33    | 523 ST ANDREWS PL  | 531 - Smoke or odor removal                              |
| 01/25/2025                                | 2025-35    | 4 FOREST DR        | 736 - CO detector activation due to malfunction          |
| 01/20/2025                                | 2025-37    | 5 Fallen DR        | 311 - Medical assist, assist EMS crew                    |
| 01/28/2025                                | 2025-38    | 75 MOUNT VERNON RD | 731 - Sprinkler activation due to malfunction            |
| 01/28/2025                                | 2025-39    | 120 PARK AVE       | 730 - System malfunction, other                          |
| 01/28/2025                                | 2025-40    | 120 PARK AVE       | 730 - System malfunction, other                          |
| 01/28/2025                                | 2025-41    | 120 PARK AVE       | 730 - System malfunction, other                          |
| 01/29/2025                                | 2025-42    | 120 PARK AVE       | 730 - System malfunction, other                          |
| 01/29/2025                                | 2025-45    | 81 IRON ORE RD     | 400 - Hazardous condition, other                         |
| 01/29/2025                                | 2025-46    | 505 JUSTIN WAY     | 735 - Alarm system sounded due to malfunction            |
| 01/30/2025                                | 2025-47    | 6 SCARLETT TER     | 744 - Detector activation, no fire - unintentional       |
| Total # of Incidents for 2-78 - 26-2-78 : |            |                    | 30   |
| Apparatus : 2-87 - 26-2-87                |            |                    |  |
| 01/29/2025                                | 2025-43    | 120 PARK AVE       | 744 - Detector activation, no fire - unintentional       |
| Total # of Incidents for 2-87 - 26-2-87 : |            |                    | 1  |

Incidents must be Reviewed. (special note for stations which have renamed apparatus: The report runs off an internal ID assigned to an Apparatus upon initial creation rather than the "Department Apparatus ID" ( ex. B-1, FT-1, etc...). If the Department ID is renamed (ex. B-1 becomes B-2), the results will still return results for "B-1" up to the date it was changed, then the results will show "B-2" assigned calls.)



emergencyreporting.com  
Doc Id: 825

| INCIDENT DATE                                   | INCIDENT # | ADDRESS             | INCIDENT TYPE  |
|---|------------|---------------------|--|
| Apparatus : 2-93 - 26-2-93                      |            |                     |  |
| 01/05/2025                                      | 2025-4     | 5 MT VERNON RD      | 142 - Brush or brush-and-grass mixture fire              |
| Total # of Incidents for 2-93 - 26-2-93 :       |            |                     | 1  |
| Apparatus : 2-96 - 26-2-96                      |            |                     |  |
| 01/03/2025                                      | 2025-1     | 60 CRANBURY NECK RD | 111 - Building fire                                      |
| Total # of Incidents for 2-96 - 26-2-96 :       |            |                     | 1  |
| Apparatus : 2-67 - Asst. Chiefs Tr              |            |                     |  |
| 01/03/2025                                      | 2025-1     | 60 CRANBURY NECK RD | 111 - Building fire                                      |
| 01/04/2025                                      | 2025-2     | 115 CANDIDO CT      | 445 - Arcing, shorted electrical equipment               |
| 01/06/2025                                      | 2025-5     | 6 MAREMANNA DR      | 743 - Smoke detector activation, no fire - unintentional |
| 01/07/2025                                      | 2025-6     | 176 WOODWARD RD     | 322 - Motor vehicle accident with injuries               |
| 01/08/2025                                      | 2025-8     | WOODWARD RD         | 322 - Motor vehicle accident with injuries               |
| 01/09/2025                                      | 2025-9     | 216 WOODWARD RD     | 743 - Smoke detector activation, no fire - unintentional |
| 01/09/2025                                      | 2025-10    | 102 DEERBROOK RUN   | 424 - Carbon monoxide incident                           |
| 01/13/2025                                      | 2025-12    | 72 SMITHBURG RD     | 352 - Extrication of victim(s) from vehicle              |
| 01/14/2025                                      | 2025-14    | 9 DARLINGTON DR     | 744 - Detector activation, no fire - unintentional       |
| 01/16/2025                                      | 2025-16    | 11 CRIOLLO RD       | 111 - Building fire                                      |
| 01/17/2025                                      | 2025-18    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction            |
| 01/17/2025                                      | 2025-19    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction            |
| 01/17/2025                                      | 2025-20    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction            |
| 01/18/2025                                      | 2025-22    | 1000 JUSTIN WAY 700 | 745 - Alarm system activation, no fire - unintentional   |
| 01/19/2025                                      | 2025-24    | 15 FOUNTAYNE LN     | 744 - Detector activation, no fire - unintentional       |
| 01/21/2025                                      | 2025-26    | 8 PINK STAR CT      | 733 - Smoke detector activation due to malfunction       |
| 01/22/2025                                      | 2025-30    | 5 JUDGE LN          | 744 - Detector activation, no fire - unintentional       |
| 01/22/2025                                      | 2025-31    | 120 PARK AVE        | 744 - Detector activation, no fire - unintentional       |
| 01/22/2025                                      | 2025-32    | 216 WOODWARD RD     | 440 - Electrical wiring/equipment problem, other         |
| 01/24/2025                                      | 2025-34    | 504 JUSTIN WAY      | 745 - Alarm system activation, no fire - unintentional   |
| 01/25/2025                                      | 2025-35    | 4 FOREST DR         | 736 - CO detector activation due to malfunction          |
| 01/25/2025                                      | 2025-36    | 700 JUSTIN WAY      | 735 - Alarm system sounded due to malfunction            |
| 01/28/2025                                      | 2025-39    | 120 PARK AVE        | 730 - System malfunction, other                          |
| 01/28/2025                                      | 2025-40    | 120 PARK AVE        | 730 - System malfunction, other                          |
| 01/29/2025                                      | 2025-42    | 120 PARK AVE        | 730 - System malfunction, other                          |
| 01/29/2025                                      | 2025-44    | 23 WATER ST         | 151 - Outside rubbish, trash or waste fire               |
| 01/29/2025                                      | 2025-45    | 81 IRON ORE RD      | 400 - Hazardous condition, other                         |
| Total # of Incidents for 2-67 - Asst. Chiefs Tr |            |                     | 27   |
| Apparatus : 2-66 - Chiefs Truck                 |            |                     |  |
| 01/04/2025                                      | 2025-2     | 115 CANDIDO CT      | 445 - Arcing, shorted electrical equipment               |
| 01/05/2025                                      | 2025-4     | 5 MT VERNON RD      | 142 - Brush or brush-and-grass mixture fire              |
| 01/06/2025                                      | 2025-5     | 6 MAREMANNA DR      | 743 - Smoke detector activation, no fire - unintentional |
| 01/07/2025                                      | 2025-6     | 176 WOODWARD RD     | 322 - Motor vehicle accident with injuries               |
| 01/08/2025                                      | 2025-7     | 8 HILLSIDE RD       | 742 - Extinguishing system activation                    |
| 01/08/2025                                      | 2025-8     | WOODWARD RD         | 322 - Motor vehicle accident with injuries               |

Incidents must be Reviewed. (special note for stations which have renamed apparatus: The report runs off an internal ID assigned to an Apparatus upon initial creation rather than the "Department Apparatus ID" ( ex. B-1, FT-1, etc...). If the Department ID is renamed (ex. B-1 becomes B-2), the results will still return results for "B-1" up to the date it was changed, then the results will show "B-2" assigned calls.)



emergencyreporting.com

Doc Id: 825

Page # 2 of 3

| INCIDENT DATE  | INCIDENT # | ADDRESS             | INCIDENT TYPE  |
|--|------------|---------------------|--|
| 01/09/2025   | 2025-10    | 102 DEERBROOK RUN   | 424 - Carbon monoxide incident                         |
| 01/13/2025   | 2025-12    | 72 SMITHBURG RD     | 352 - Extrication of victim(s) from vehicle            |
| 01/13/2025   | 2025-13    | SWEETMANS LN        | 322 - Motor vehicle accident with injuries             |
| 01/16/2025   | 2025-15    | 146 WOODWARD RD     | 730 - System malfunction, other                        |
| 01/16/2025   | 2025-16    | 11 CRIOLLO RD       | 111 - Building fire                                    |
| 01/17/2025   | 2025-17    | 21 FAWN RUN         | 440 - Electrical wiring/equipment problem, other       |
| 01/17/2025   | 2025-18    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction          |
| 01/17/2025   | 2025-19    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction          |
| 01/17/2025   | 2025-20    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction          |
| 01/18/2025   | 2025-21    | 199 WOODWARD RD     | 412 - Gas leak (natural gas or LPG)                    |
| 01/18/2025   | 2025-22    | 1000 JUSTIN WAY 700 | 745 - Alarm system activation, no fire - unintentional |
| 01/19/2025   | 2025-24    | 15 FOUNTAYNE LN     | 744 - Detector activation, no fire - unintentional     |
| 01/20/2025   | 2025-25    | 75 MOUNT VERNON RD  | 731 - Sprinkler activation due to malfunction          |
| 01/21/2025   | 2025-26    | 8 PINK STAR CT      | 733 - Smoke detector activation due to malfunction     |
| 01/22/2025   | 2025-27    | 94 520 CIR          | 571 - Cover assignment, standby, moveup                |
| 01/22/2025   | 2025-28    | 75 MT VERNON RD     | 731 - Sprinkler activation due to malfunction          |
| 01/22/2025   | 2025-31    | 120 PARK AVE        | 744 - Detector activation, no fire - unintentional     |
| 01/22/2025   | 2025-32    | 216 WOODWARD RD     | 440 - Electrical wiring/equipment problem, other       |
| 01/23/2025   | 2025-33    | 523 ST ANDREWS PL   | 531 - Smoke or odor removal                            |
| 01/24/2025   | 2025-34    | 504 JUSTIN WAY      | 745 - Alarm system activation, no fire - unintentional |
| 01/25/2025   | 2025-35    | 4 FOREST DR         | 736 - CO detector activation due to malfunction        |
| 01/25/2025   | 2025-36    | 700 JUSTIN WAY      | 735 - Alarm system sounded due to malfunction          |
| 01/28/2025   | 2025-39    | 120 PARK AVE        | 730 - System malfunction, other                        |
| 01/28/2025   | 2025-40    | 120 PARK AVE        | 730 - System malfunction, other                        |
| 01/28/2025   | 2025-41    | 120 PARK AVE        | 730 - System malfunction, other                        |
| 01/29/2025   | 2025-42    | 120 PARK AVE        | 730 - System malfunction, other                        |
| 01/29/2025   | 2025-45    | 81 IRON ORE RD      | 400 - Hazardous condition, other                       |
| 01/29/2025   | 2025-46    | 505 JUSTIN WAY      | 735 - Alarm system sounded due to malfunction          |
| Total # of Incidents for 2-66 - Chiefs Truck                 |            |                     | 34   |
| <b>Apparatus : 2-82 - No Apparatus Name Assigned</b>         |            |                     |  |
| 01/07/2025   | 2025-6     | 176 WOODWARD RD     | 322 - Motor vehicle accident with injuries             |
| 01/08/2025   | 2025-8     | WOODWARD RD         | 322 - Motor vehicle accident with injuries             |
| 01/13/2025   | 2025-12    | 72 SMITHBURG RD     | 352 - Extrication of victim(s) from vehicle            |
| 01/13/2025   | 2025-13    | SWEETMANS LN        | 322 - Motor vehicle accident with injuries             |
| Total # of Incidents for 2-82 - No Apparatus Name Assigned : |            |                     | 4  |
| <b>Total # of Incidents for all Apparatus:</b>               |            |                     | <b>98</b>  |

Incidents must be Reviewed. (special note for stations which have renamed apparatus: The report runs off an internal ID assigned to an Apparatus upon initial creation rather than the "Department Apparatus ID" ( ex. B-1, FT-1, etc...). If the Department ID is renamed (ex. B-1 becomes B-2), the results will still return results for "B-1" up to the date it was changed, then the results will show "B-2" assigned calls.)



emergencyreporting.com

Doc Id: 825

Page # 3 of 3

# Manalapan Fire District #2

Manalapan, NJ

This report was generated on 2/4/2025 9:32:58 PM

## Personnel Count for Apparatus for Incident Type Range for Date Range

Start Incident Type: 100 | End Incident Type: 911 | Apparatus: All Apparatus | Start Date: 01/01/2025 | End Date: 01/31/2025

| INCIDENT # | DATE       | INCIDENT TYPE  | PERSONNEL RESPONDED                                     | APPARATUS ID | # RESPONDED |
|------------|------------|--|---|--------------|-------------|
| 2025-1     | 01/03/2025 | 111 - Building fire                                      | Adam Keaney   | 2-67         | 1           |
| 2025-1     | 01/03/2025 | 111 - Building fire                                      | Arkadey Klots, Frank Toia                               | 2-96         | 2           |
| 2025-2     | 01/04/2025 | 445 - Arcing, shorted electrical equipment               | Thomas Kirkland   | 2-66         | 1           |
| 2025-2     | 01/04/2025 | 445 - Arcing, shorted electrical equipment               | Adam Keaney   | 2-67         | 1           |
| 2025-2     | 01/04/2025 | 445 - Arcing, shorted electrical equipment               | David Geyer, Mathew Hardy, Frank Toia                   | 2-78         | 3           |
| 2025-3     | 01/04/2025 | 733 - Smoke detector activation due to malfunction       | David Geyer, Mathew Hardy, Frank Toia                   | 2-78         | 3           |
| 2025-4     | 01/05/2025 | 142 - Brush or brush-and-grass mixture fire              | Thomas Kirkland   | 2-66         | 1           |
| 2025-4     | 01/05/2025 | 142 - Brush or brush-and-grass mixture fire              | Mathew Bond, David Geyer                                | 2-78         | 2           |
| 2025-4     | 01/05/2025 | 142 - Brush or brush-and-grass mixture fire              | Arkadey Klots, Frank Toia                               | 2-93         | 2           |
| 2025-5     | 01/06/2025 | 743 - Smoke detector activation, no fire - unintentional | Thomas Kirkland   | 2-66         | 1           |
| 2025-5     | 01/06/2025 | 743 - Smoke detector activation, no fire - unintentional | Adam Keaney   | 2-67         | 1           |
| 2025-5     | 01/06/2025 | 743 - Smoke detector activation, no fire - unintentional | Michael Bisogna, David Geyer, Arkadey Klots, Frank Toia | 2-78         | 4           |
| 2025-6     | 01/07/2025 | 322 - Motor vehicle accident with injuries               | Thomas Kirkland   | 2-66         | 1           |
| 2025-6     | 01/07/2025 | 322 - Motor vehicle accident with injuries               | Adam Keaney   | 2-67         | 1           |
| 2025-6     | 01/07/2025 | 322 - Motor vehicle accident with injuries               | Arkadey Klots, Frank Toia                               | 2-82         | 2           |
| 2025-7     | 01/08/2025 | 742 - Extinguishing system activation                    | Thomas Kirkland   | 2-66         | 1           |
| 2025-7     | 01/08/2025 | 742 - Extinguishing system activation                    | David Geyer, Arkadey Klots                              | 2-78         | 2           |
| 2025-8     | 01/08/2025 | 322 - Motor vehicle accident with injuries               | Thomas Kirkland   | 2-66         | 1           |
| 2025-8     | 01/08/2025 | 322 - Motor vehicle accident with injuries               | Adam Keaney   | 2-67         | 1           |
| 2025-8     | 01/08/2025 | 322 - Motor vehicle accident with injuries               | Michael Bisogna, David Geyer, Arkadey Klots, Frank Toia | 2-82         | 4           |
| 2025-9     | 01/09/2025 | 743 - Smoke detector activation, no fire - unintentional | Thomas Kirkland   | 2-67         | 1           |
| 2025-9     | 01/09/2025 | 743 - Smoke detector activation, no fire - unintentional | Michael Bisogna, David Geyer, Frank Toia                | 2-78         | 3           |
| 2025-10    | 01/09/2025 | 424 - Carbon monoxide incident                           | Thomas Kirkland   | 2-66         | 1           |
| 2025-10    | 01/09/2025 | 424 - Carbon monoxide incident                           | Adam Keaney   | 2-67         | 1           |
| 2025-10    | 01/09/2025 | 424 - Carbon monoxide incident                           | David Geyer, Arkadey Klots, Frank Toia                  | 2-78         | 3           |
| 2025-11    | 01/12/2025 | 746 - Carbon monoxide detector activation, no CO         | David Geyer, Frank Toia                                 | 2-78         | 2           |
| 2025-12    | 01/13/2025 | 352 - Extrication of victim(s) from vehicle              | Thomas Kirkland   | 2-66         | 1           |
| 2025-12    | 01/13/2025 | 352 - Extrication of victim(s) from vehicle              | Adam Keaney   | 2-67         | 1           |

Counts the number of personnel who responded on the selected APPARATUS for the INCIDENT TYPE RANGE and DATE RANGE. Only REVIEWED Incidents included.



| INCIDENT # | DATE       | INCIDENT TYPE  | PERSONNEL RESPONDED                                      | APPARATUS ID | # RESPONDED |
|------------|------------|--|--|--------------|-------------|
| 2025-12    | 01/13/2025 | 352 - Extrication of victim(s) from vehicle            | Arkadey Klots, Frank Toia                                | 2-82         | 2           |
| 2025-13    | 01/13/2025 | 322 - Motor vehicle accident with injuries             | Thomas Kirkland  | 2-66         | 1           |
| 2025-13    | 01/13/2025 | 322 - Motor vehicle accident with injuries             | David Geyer, Arkadey Klots, Frank Toia                   | 2-82         | 3           |
| 2025-14    | 01/14/2025 | 744 - Detector activation, no fire - unintentional     | Adam Keaney  | 2-67         | 1           |
| 2025-14    | 01/14/2025 | 744 - Detector activation, no fire - unintentional     | David Geyer, Frank Toia                                  | 2-78         | 2           |
| 2025-15    | 01/16/2025 | 730 - System malfunction, other                        | Thomas Kirkland  | 2-66         | 1           |
| 2025-15    | 01/16/2025 | 730 - System malfunction, other                        | Adam Keaney, Frank Toia                                  | 2-78         | 2           |
| 2025-16    | 01/16/2025 | 111 - Building fire                                    | Thomas Kirkland  | 2-66         | 1           |
| 2025-16    | 01/16/2025 | 111 - Building fire                                    | Adam Keaney  | 2-67         | 1           |
| 2025-16    | 01/16/2025 | 111 - Building fire                                    | Michael Bisogna, David Geyer, Arkadey Klots, Ryan Spivey | 2-78         | 4           |
| 2025-17    | 01/17/2025 | 440 - Electrical wiring/equipment problem, other       | Thomas Kirkland  | 2-66         | 1           |
| 2025-17    | 01/17/2025 | 440 - Electrical wiring/equipment problem, other       | Arkadey Klots, Frank Toia                                | 2-78         | 2           |
| 2025-18    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-18    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Adam Keaney  | 2-67         | 1           |
| 2025-18    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | David Geyer, Arkadey Klots                               | 2-78         | 2           |
| 2025-19    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-19    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Adam Keaney  | 2-67         | 1           |
| 2025-20    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-20    | 01/17/2025 | 731 - Sprinkler activation due to malfunction          | Adam Keaney  | 2-67         | 1           |
| 2025-21    | 01/18/2025 | 412 - Gas leak (natural gas or LPG)                    | Thomas Kirkland  | 2-66         | 1           |
| 2025-21    | 01/18/2025 | 412 - Gas leak (natural gas or LPG)                    | Adam Keaney  | 2-78         | 1           |
| 2025-22    | 01/18/2025 | 745 - Alarm system activation, no fire - unintentional | Thomas Kirkland  | 2-66         | 1           |
| 2025-22    | 01/18/2025 | 745 - Alarm system activation, no fire - unintentional | Adam Keaney  | 2-67         | 1           |
| 2025-23    | 01/19/2025 | 736 - CO detector activation due to malfunction        | David Geyer, Arkadey Klots                               | 2-78         | 2           |
| 2025-24    | 01/19/2025 | 744 - Detector activation, no fire - unintentional     | Thomas Kirkland  | 2-66         | 1           |
| 2025-24    | 01/19/2025 | 744 - Detector activation, no fire - unintentional     | Adam Keaney  | 2-67         | 1           |
| 2025-37    | 01/20/2025 | 311 - Medical assist, assist EMS crew                  | Michael Bisogna, Mathew Bond, David Geyer                | 2-78         | 3           |
| 2025-25    | 01/20/2025 | 731 - Sprinkler activation due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-26    | 01/21/2025 | 733 - Smoke detector activation due to malfunction     | Thomas Kirkland, Thomas Kirkland                         | 2-66         | 1           |
| 2025-26    | 01/21/2025 | 733 - Smoke detector activation due to malfunction     | Adam Keaney  | 2-67         | 1           |
| 2025-26    | 01/21/2025 | 733 - Smoke detector activation due to malfunction     | Michael Bisogna, Mathew Bond                             | 2-78         | 2           |
| 2025-27    | 01/22/2025 | 571 - Cover assignment, standby, moveup                | Thomas Kirkland  | 2-66         | 1           |

Counts the number of personnel who responded on the selected APPARATUS for the INCIDENT TYPE RANGE and DATE RANGE. Only REVIEWED incidents included.



| INCIDENT # | DATE       | INCIDENT TYPE  | PERSONNEL RESPONDED  | APPARATUS ID | # RESPONDED |
|------------|------------|--|--|--------------|-------------|
| 2025-28    | 01/22/2025 | 731 - Sprinkler activation due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-29    | 01/22/2025 | 730 - System malfunction, other                        | David Geyer, Arkadey Klots, Frank Toia                                   | 2-78         | 3           |
| 2025-30    | 01/22/2025 | 744 - Detector activation, no fire - unintentional     | Adam Keaney  | 2-67         | 1           |
| 2025-31    | 01/22/2025 | 744 - Detector activation, no fire - unintentional     | Thomas Kirkland  | 2-66         | 1           |
| 2025-31    | 01/22/2025 | 744 - Detector activation, no fire - unintentional     | Adam Keaney  | 2-67         | 1           |
| 2025-31    | 01/22/2025 | 744 - Detector activation, no fire - unintentional     | Michael Bisogna, Mathew Bond, David Geyer                                | 2-78         | 3           |
| 2025-32    | 01/22/2025 | 440 - Electrical wiring/equipment problem, other       | Thomas Kirkland  | 2-66         | 1           |
| 2025-32    | 01/22/2025 | 440 - Electrical wiring/equipment problem, other       | Adam Keaney  | 2-67         | 1           |
| 2025-32    | 01/22/2025 | 440 - Electrical wiring/equipment problem, other       | Michael Bisogna, Mathew Bond, David Geyer, Arkadey Klots, Irina Ragulina | 2-78         | 5           |
| 2025-33    | 01/23/2025 | 531 - Smoke or odor removal                            | Thomas Kirkland  | 2-66         | 1           |
| 2025-33    | 01/23/2025 | 531 - Smoke or odor removal                            | Michael Bisogna, David Geyer, Arkadey Klots, Frank Toia                  | 2-78         | 4           |
| 2025-34    | 01/24/2025 | 745 - Alarm system activation, no fire - unintentional | Thomas Kirkland  | 2-66         | 1           |
| 2025-34    | 01/24/2025 | 745 - Alarm system activation, no fire - unintentional | Adam Keaney  | 2-67         | 1           |
| 2025-35    | 01/25/2025 | 736 - CO detector activation due to malfunction        | Thomas Kirkland  | 2-66         | 1           |
| 2025-35    | 01/25/2025 | 736 - CO detector activation due to malfunction        | Adam Keaney  | 2-67         | 1           |
| 2025-35    | 01/25/2025 | 736 - CO detector activation due to malfunction        | Mathew Bond, Arkadey Klots, Frank Toia                                   | 2-78         | 3           |
| 2025-36    | 01/25/2025 | 735 - Alarm system sounded due to malfunction          | Thomas Kirkland  | 2-66         | 1           |
| 2025-36    | 01/25/2025 | 735 - Alarm system sounded due to malfunction          | Adam Keaney  | 2-67         | 1           |
| 2025-38    | 01/28/2025 | 731 - Sprinkler activation due to malfunction          | David Geyer, Arkadey Klots   | 2-78         | 2           |
| 2025-39    | 01/28/2025 | 730 - System malfunction, other                        | Thomas Kirkland  | 2-66         | 1           |
| 2025-39    | 01/28/2025 | 730 - System malfunction, other                        | Adam Keaney  | 2-67         | 1           |
| 2025-39    | 01/28/2025 | 730 - System malfunction, other                        | Mathew Bond, David Geyer, Arkadey Klots, Frank Toia                      | 2-78         | 4           |
| 2025-40    | 01/28/2025 | 730 - System malfunction, other                        | Thomas Kirkland  | 2-66         | 1           |
| 2025-40    | 01/28/2025 | 730 - System malfunction, other                        | Adam Keaney  | 2-67         | 1           |
| 2025-40    | 01/28/2025 | 730 - System malfunction, other                        | Mathew Bond, David Geyer, Arkadey Klots, Tim Leitstein, Frank Toia       | 2-78         | 5           |
| 2025-41    | 01/28/2025 | 730 - System malfunction, other                        | Thomas Kirkland  | 2-66         | 1           |
| 2025-41    | 01/28/2025 | 730 - System malfunction, other                        | Mathew Bond, David Geyer, Arkadey Klots, Tim Leitstein, Frank Toia       | 2-78         | 5           |
| 2025-42    | 01/29/2025 | 730 - System malfunction, other                        | Thomas Kirkland  | 2-66         | 1           |
| 2025-42    | 01/29/2025 | 730 - System malfunction, other                        | Adam Keaney  | 2-67         | 1           |
| 2025-42    | 01/29/2025 | 730 - System malfunction, other                        | Arkadey Klots, Frank Toia  | 2-78         | 2           |
| 2025-43    | 01/29/2025 | 744 - Detector activation, no fire - unintentional     | Frank Toia   | 2-87         | 1           |
| 2025-44    | 01/29/2025 | 151 - Outside rubbish, trash or waste fire             | Adam Keaney  | 2-67         | 1           |
| 2025-45    | 01/29/2025 | 400 - Hazardous condition, other                       | Thomas Kirkland  | 2-66         | 1           |
| 2025-45    | 01/29/2025 | 400 - Hazardous condition, other                       | Adam Keaney  | 2-67         | 1           |

Counts the number of personnel who responded on the selected APPARATUS for the INCIDENT TYPE RANGE and DATE RANGE. Only REVIEWED Incidents included.



| INCIDENT # | DATE       | INCIDENT TYPE                                      | PERSONNEL RESPONDED                                 | APPARATUS ID | # RESPONDED |
|------------|------------|--|---|--------------|-------------|
| 2025-45    | 01/29/2025 | 400 - Hazardous condition, other                   | Michael Bisogna, David Geyer, Frank Toia            | 2-78         | 3           |
| 2025-46    | 01/29/2025 | 735 - Alarm system sounded due to malfunction      | Thomas Kirkland                                     | 2-66         | 1           |
| 2025-46    | 01/29/2025 | 735 - Alarm system sounded due to malfunction      | Mathew Bond, David Geyer, Arkadey Klots, Frank Toia | 2-78         | 4           |
| 2025-47    | 01/30/2025 | 744 - Detector activation, no fire - unintentional | David Geyer, Frank Toia                             | 2-78         | 2           |

Counts the number of personnel who responded on the selected APPARATUS for the INCIDENT TYPE RANGE and DATE RANGE. Only REVIEWED Incidents included.



# ENGINEERS TRUCK REPORT FOR JANUARY 2025:

- #78 Monthly REGEN completed. — In House
- #86 Repair left + right REAR BRAKE lights. — In House
- #87 PERFORMED MAJOR ENGINE TUNE UP. — ENGLISH. APT.
- #93 Repair MASTER SWITCH FOR PUMP IN CAB. — In House
- #96 Repair R/REAR UPPER CLEAR SCENE light. — In House

ADDED FUEL STABILIZER, + ANTI GEL ADDITIVES TO ALL DIESEL TRUCKS

REPLACE AIR LINE + FITTINGS TO CEILING CONNECTED TO #90.

Mounted up plows on #98, + #99. — In House

START + SERVICE SNOW BLOWER. — In House

Put NEW INS. CARDS INSIDE VEHICLES. — In House

ALL VEHICLES ARE IN SERVICE @ THIS TIME.

Respectfully Submitted :



# **MANALAPAN TOWNSHIP FIRE COMPANY #1**

**5 Sweetmans Lane  
Manalapan, NJ 07726  
Office: (732) 462-1112  
Fax: (732) 462-2376**

**President: William Frueh**

**Trustee: Adam Keaney**

---

## **Manalapan township Presidents report for — Commissioner meeting February 5th 2025**

- **Coffee with a firefighter 2/16/25 at 1pm**
- **We are aware of issues with the table chairs and are working on fixing the problem**
- **Purchased govi lights to finish building**
- **2/19/25 attending get involved with community event**

# ENGLISHTOWN FIRE DEPARTMENT



POST OFFICE BOX 1 – 3 SOUTH MAIN STREET – ENGLISHTOWN, NEW JERSEY 07726  
732-446-4818 • FAX 732-446-8285

## Englishtown Chief's Report Manalapan Fire District #2 Meeting February 5<sup>th</sup>, 2025

### District 2 Incidents for January 2025

26-2's Area: 21 Incidents for 31 Man Hours

26-2's Primary Response Area: 13 Incidents for 20 Man Hours

Total Man Hours for District 2 Calls: 51 Hours

### Significant Incidents in District 2 for January 2025:

- 1-05-2025 – 100 x 100 Grass fire on Mount Vernon Road
- 1-16-2025 – Vehicle Fire with Extension to a house on Criollo Road in Four Seasons

### Training

- The Englishtown Fire Department will be conducting Ice Water Rescue Training with Millstone on February 15<sup>th</sup> and 16<sup>th</sup> in Millstone Township.

### Purchase Requests

None.

### Other Notable Mentions

N/A

Regards,  
Chief O'Brien

**BOARD OF FIRE COMMISSIONERS  
MANALAPAN TOWNSHIP FIRE DISTRICT #2  
P.O. BOX 54  
Tennent, NJ 07763**

**February 5, 2025 Bill List**

|  |                  |
|--|------------------|
| <b>ADP</b>                                       | <b>14,807.21</b> |
| <b>American Cloud Services</b>                   | <b>335.00</b>    |
| <b>American Dream Movers</b>                     | <b>750.00</b>    |
| <b>Arturo N. Sanchez</b>                         | <b>550.00</b>    |
| <b>Carpets To Go</b>                             | <b>2,232.86</b>  |
| <b>Charles Sacco</b>                             | <b>75.64</b>     |
| <b>Document Solutions Leasing</b>                | <b>102.89</b>    |
| <b>Englishtown Automotive, Inc.</b>              | <b>718.84</b>    |
| <b>Freehold Ford</b>                             | <b>17.50</b>     |
| <b>GSB</b>                                       | <b>10,099.65</b> |
| <b>International Association of Fire Chiefs</b>  | <b>916.68</b>    |
| <b>J Swanton Fuel Oil Co.</b>                    | <b>1,834.11</b>  |
| <b>Jersey Auto Supply</b>                        | <b>588.25</b>    |
| <b>Michael Digirolamo</b>                        | <b>75.64</b>     |
| <b>NetLink Web Services, LLC</b>                 | <b>614.00</b>    |
| <b>New Jersey Fire Equipment Co.</b>             | <b>3,940.06</b>  |
| <b>Oliver E. Soden Agency</b>                    | <b>4,368.00</b>  |
| <b>Quality Lube Plus</b>                         | <b>257.90</b>    |
| <b>SBP Industries</b>                            | <b>685.47</b>    |
| <b>Stanley Sorscher</b>                          | <b>75.64</b>     |
| <b>Timothy Leitstein</b>                         | <b>445.41</b>    |
| <b>Urgent Care Physicians of New Jersey, LLC</b> | <b>670.00</b>    |
| <b>Verizon</b>                                   | <b>129.65</b>    |
| <b>Verizon Wireless</b>                          | <b>1,145.17</b>  |
| <b>WithumSmith &amp; Brown</b>                   | <b>6,720.00</b>  |
| <b>TOTAL</b>                                     | <b>52,155.27</b> |

**Respectfully submitted,**